





# NARMS – EB 1999

## Veterinary Isolates

**Fig. 9. Minimum Inhibitory Concentrations by Antimicrobial Agent for *Salmonella* Isolates from Exotic Sources**







⬇ Breakpoint

Diagnostic n=21

# NARMS – EB 1999

## Veterinary Isolates

**Fig. 9. Minimum Inhibitory Concentrations by Antimicrobial Agent for *Salmonella* Isolates from Exotic Sources**







⬇ Breakpoint

Diagnostic n=21

# NARMS – EB 1999

## Veterinary Isolates

**Fig. 9. Minimum Inhibitory Concentrations by Antimicrobial Agent for *Salmonella* Isolates from Exotic Sources**





Diagnostic n=21

\*Breakpoint Not Established

# NARMS – EB 1999

## Veterinary Isolates

**Fig. 9. Minimum Inhibitory Concentrations by Antimicrobial Agent for *Salmonella* Isolates from Exotic Sources**




⬇ Breakpoint

Diagnostic n=21

# NARMS – EB 1999

## Veterinary Isolates

**Fig. 9. Minimum Inhibitory Concentrations by Antimicrobial Agent for *Salmonella* Isolates from Exotic Sources**



↓ Breakpoint

Diagnostic n=21